

Basics

release-1	Move caret.
drag-1	Select text.
Shift-click-1	Extend text selection.
double-click-1	Select word.
triple-click-1	Select all the characters of the text node.
Ctrl-press-1	Show the Edit popup menu.
Drag&Drop	The object being dropped must be a file or the string representation of an URL. Opens the corresponding document.
RIGHT	Move caret to following character.
LEFT	Move caret to preceding character.
DOWN	Move caret to following line.
UP	Move caret to preceding line.
END	Move caret to end of line.
HOME	Move caret to beginning of line.
Cmd-RIGHT	Move caret to following word.
Cmd-LEFT	Move caret to preceding word.
TAB ★★★	Move caret to following text node.
Shift-TAB	Move caret to preceding text node.
ESCAPE END	Move caret to end of text node.
ESCAPE HOME	Move caret to beginning of text node.
Shift-RIGHT	Extend text selection to following character.
Shift-LEFT	Extend text selection to preceding character.
Shift-DOWN	Extend text selection to following line.
Shift-UP	Extend text selection to preceding line.
Shift-END	Extend text selection to end of line.
Shift-HOME	Extend text selection to beginning of line.
Cmd+Shift-RIGHT	Extend text selection to following word.
Cmd+Shift-LEFT	Extend text selection to preceding word.
ESCAPE Shift-END	Extend text selection to end of text node.
ESCAPE Shift-HOME	Extend text selection to beginning of text node.
Ctrl-TAB	Insert a tab character if the element preserves space characters. Otherwise, no effect.
ENTER	Insert a newline character if the element preserves space characters. Otherwise, no effect.
Ctrl-SPACE ★★★	Insert non-breaking space.
DELETE	Delete selection if any, character following caret otherwise.
BACK_SPACE	Delete selection if any, character preceding caret otherwise.
Cmd-DELETE	Delete selection if any, word following caret otherwise.
Cmd-BACK_SPACE	Delete selection if any, word preceding caret otherwise.

File

Cmd-N	New document.
Cmd-O	Open document.

Cmd-S	Save document.
Cmd-P	Print document.
Cmd-Q	Quit XMLmind XML Editor.

Select



The element containing the caret is said to be *implicitly selected*. Most commands work whether an element has been implicitly or explicitly selected.

Cmd-click-1	Select the node clicked upon. Repeating this action without moving the mouse selects its parent, then its grand-parent, etc.
Cmd+Shift-click-1	Extend node selection to the node clicked upon.
Cmd-UP	Select parent.
Cmd-DOWN	Select child.
Cmd+Shift-UP	Select preceding sibling.
Cmd+Shift-DOWN	Select following sibling.
ESCAPE LEFT	Extend selection to preceding sibling.
ESCAPE RIGHT ★★★	Extend selection to following sibling.
ESCAPE DOWN	Select all children.
ESCAPE g	Find element.
ESCAPE ESCAPE	Cancel selection.

Edit

click-2 ★★★	Move caret to the location clicked upon, then paste last selected <i>characters</i> before caret position. Corresponding option must have been turned on.
Cmd-Z	Undo last change.
Cmd-Y	Undo last undo (redo).
Cmd-A ★★★	Repeat last repeatable command.
Cmd+Shift-A	Show command history. Allows to select and repeat a command.
Cmd-X	Cut selected text or nodes.
Cmd-C	Copy selected text or nodes.
Cmd-U	Paste before selected nodes.
Cmd-V	Paste replacing selected nodes if any. Otherwise paste at caret position.
Cmd-W	Paste after selected nodes.
Cmd-K	Delete selected text or nodes.
Cmd-R	Replace selected nodes by an empty element or text node.
Cmd-B	Insert empty element or text node before selected nodes.
Cmd-I	Insert empty element or text node at caret position.
Cmd-J	Insert empty element or text node after selected nodes.
F1 ★★★	Insert an empty text node after selected nodes.
Shift-F1	Insert an empty text node before selected nodes.
Cmd-F1	Insert same element after selected element.
Cmd+Shift-F1	Insert same element before selected element.

ESCAPE F1 ★★★

Switches from insert mode to overwrite mode and the other way around.

Cmd-T

Convert selected text or nodes to another element or to plain text.

Cmd+Shift-T

Wrap selected text or nodes into a new parent element.

ESCAPE ENTER

Split *explicitly selected element* in two at caret position.

ESCAPE BACK_SPACE

Join *explicitly selected element* with preceding same element.

ESCAPE DELETE

Join *explicitly selected element* with following same element.

Modular documents

Cmd+Shift-C

Copy a *reference* to selected elements. (After that, you can paste this reference elsewhere to build a modular document.)

Cmd+Shift-R

Insert an element reference at caret position. Makes it quick and easy inserting ``XML variables" (that is, references to often used XHTML *spans*, DocBook *phrases*, etc) in a document.

Cmd+Shift-B

Switch to window containing referencing document (the modular document), if any.

Cmd+Shift-E

Switch to window containing referenced document (the module). Open this document if needed to.

Search

Cmd-F

Search text.

Cmd+Shift-F

Search text backwards.

Cmd-M

Search/replace text.

Cmd+Shift-M

Search/replace text backwards.

Cmd-G

Repeat previous search.

Cmd+Shift-G

Repeat previous search backwards.

View

Cmd-L

Rebuild document view (deep redraw).

Cmd+Shift-L

Center selection on screen.

Cmd-wheel

Changes the size of the text in the document view.

Tools

Cmd-E

Edit the attributes of selected element.

Cmd+Shift-V

Check document validity.

Cmd+Shift-S

Check spelling.

Cmd+Shift-O

Open element or attribute content in helper application.

Cmd+Shift-D

Edit document in helper application.

Cmd+Shift-I

Insert/edit spreadsheet formula.

ESCAPE m

Start/stop recording of macro.

ESCAPE M

Cancel recording of macro.

ESCAPE p

Execute (replay) recorded macro.

ESCAPE s

Search text. Shows special dialog box allowing to extend the text selection. Especially useful when recording a macro.

ESCAPE x

Execute command. Requires specifying its name and parameter.

Window

Cmd+Shift-W

Close current window.

Cmd+Shift-P

Switch to preceding window.

Cmd+Shift-N

Switch to following window.

Help

If a DocBook or XHTML document is opened

Drag&Drop

On an image, changes its source. On an external link, changes its target.

ENTER

Insert a newline character if possible. Otherwise, split paragraph.

DELETE

Delete selection if any. Otherwise, if caret is at the end of a paragraph, join with following paragraph. Otherwise, delete character following caret.

BACK_SPACE

Delete selection if any. Otherwise, if caret is at the beginning of a paragraph, join with preceding paragraph. Otherwise, delete character preceding caret.

Cmd-ENTER

Add paragraph or list item after the paragraph or list item which is the ancestor of selected node.

Cmd+Shift-ENTER

Add paragraph or list item before the paragraph or list item which is the ancestor of selected node.

ESCAPE w

Converts text copied to the clipboard using an external application (Web browser, word processor, etc) to one or more paragraphs, then paste these paragraphs after implicitly or explicitly selected element.

If a DocBook document is opened

F2 UP

Swap *explicitly selected node* with its preceding sibling (move up).

F2 DOWN

Swap *explicitly selected node* with its following sibling (move down).

F2 LEFT

Promote *explicitly selected element* (typically a section).

F2 RIGHT

Demote *explicitly selected element* (typically a section).

If an XHTML document is opened

Shift-ENTER

Insert a `br` element at caret position.

F5

Preview the document being edited in the Web browser.